




### HAS ARRIVED





S LAKH CUSTOMERS







### STAR IN SAVINGS

No greasing required for axle bearing & propeller shaft, less frequent failures in chassis, suspension spring, shocker & bushes.




### STAR IN STYLING

Italian styling, single piece wind shield, twin headlamps.



## STAR IN COMFORT

Wider seats, more luggage space with loading/ unloading possibility from rear door & bigger fuel tank.




## STARIN PONER

Powerful 4 stroke engine BS III (without Catcon), 6.69 hp @ 3800 rpm

## STARIN

Extra strong chasis, stronger front & rear suspension, stronger hood structure & maintenance free driveline



# A Stroke Results Superior?

- ☆ Greater mileage & fuel efficiency (Saves more. Earns More)
- Eco friendly (State of the art -Eco Friendly Technology)
- Less maintenance & more engine life (Save Rs. 0.50 per km over 2 stroke engine\*)
- Additional savings
  (No oil top-up required)

Technical Parameters		
Engine	Type Max Power  Max Torque  Displacement	Single Cylinder 4 stroke CNG mode: 6.69 hp @ 3800 rpm Petrol mode: 7.72 hp @ 4000 rpm CNG mode: 13.7 Nm @ 3000 rpm Petrol mode: 16.2 Nm @ 3000 rpm 275 cc
Transmission	Compression Ratio  Gear Box Clutch Maximum Gradability Front Suspension Rear Suspension Steering Brakes Tyres Tyres Parking Brakes	9:1  4 Forward, 1 Reverse  Wet, Multi Disc type  18%  Helicle Compression spring with Hydraulic Telescope shock absorbers Rubber Compression spring with Hydraulic Telescope shock absorbers Handle Bar type  Drum brake hydraulically actuated internal expanding shoe type  4.00 x 8  Cross / Tube  Mechanical, Hand operated, Actuating rear brakes
Weight & Dimensions	GVW Kerb Weight Wheel base Overall width Overall Length Overall Height Ground Clearance System Voltage Batter Rating	695 kg 408 Kg 1940 mm 1400 mm 2700 mm 1820 mm 190 mm
Others	Gas Cylinder Capacity (water equivalent) Fuel Tank petrol	30 lit Limp Home: 3 Lit





Piaggio Vehicles Private Limited,

102, "PHOENIX, Bund Garden Road, Pune 411001.

Tel. Nos.: +91-20-66013150 Fax: +91-20-66013157/26134972

